



PARTS IN STOCK

BARRELS:

SIZE	MAKE	Mat'l	MODEL	OAL	PRICE
30mm	ARBURG	CORE(FULL)	320C-500-250	38.990"	150/ea
Needs Full-length Sleeve					
45mm	BATTENFELD	USED OK	500	51.625	500/ea
18mm	CINCI VISTA	Nit 135M	Sentry	24.250"	750/ea
26mm	ROBOSHOT	USED OK	110I-48C	26.156"	500/ea
32mm	ROBOSHOT	CPM 10V	165R-113	32.795"	1500/ea
32mm	ROBOSHOT	777 liner	165R-113	32.795"	1750/ea
1.62	CINCI	NEW 666	75Ton 6oz	34.19"	1000/ea
50mm	CINCI VISTA	RELINE D-2	VT165-13	49.610	1500/ea
55mm	CINCI VISTA	NEW 666	VT300-21	64.350"	2500/ea
2 ½	CINCINNATI	RELINE D-2	250T 20oz	61.125"	2000/ea
35mm	ENGEL	NEW 777	330 Inj	37.88"	2750/ea
2"	HPM	RELINE D-2	200T 14 oz	50.500"	1500/ea
2"	HPM Downsize	New, 777	300 Ton, 14oz		1500/ea
2"	HPM/New Britan	RELINE D-2	300 ton Thermoset		1000/ea
Includes Special T-S end cap					
40mm	NETSTAL	NEW 666	HP 1000	42.922"	2000/ea

1.38 NEWBURY	RELIN D-2	5 oz Model	33.810"	1500/ea
63mm NISSEI	NEW 777	100 A	67.677"	4000/ea
1 ¼" STOKES	NEW 777	3.50" OD	31.125"	1000/ea
1.62 STOKES	NEW 777	4.00" OD	39.750"	1250/ea
32mm TOSHIBA	CORE	3.543" OD	32.598"	100/ea
	ISE 60 P	needs full sleeve		
36mm TOSHIBA	CORE	3.543" OD	37.875"	100/ea
	ISE 2B	needs full sleeve		
50mm TOSHIBA	NEW 777	ISG 10A Tungsten-		2500/ea
		Carbide Bimetallic		
50mm TOSHIBA	NEW X802	ISG 10A Tungsten-		2500/ea
		Carbide Bimetallic		
		(OEM P/N F038858 R-2)		
60mm TOSHIBA	CORE	6.5/6.3"	61.239"	100/ea
	ISE 250	needs f/p sleeve		
60mm TOSHIBA	CORE	6.5/6.3"	61.239"	100/ea
		needs full sleeve		
36mm TOYO	RELIN D-2	Ti90G	37.187"	750/ea

END CAPS

18mm ARBURG	OEM	TYPE II	M45X2.0LH	75/ea
22mm ARBURG	OEM	TYPE II	M45X2.0LH	75/ea
30mm ARBURG	OEM	TYPE II	M45X2.0LH	75/ea
25mm BATTENFELD	1/H-13	315	1.750/08	250/ea
40mm BATTENFELD	2/H-13	315	1.750/08	250/ea
45mm BATTENFELD	2/H-13	315	1.750/08	250/ea
" BATTENFELD	4/H-13	500	1.750/08	250/ea
65mm BATTENFELD	2/H-13	1200	5.906"	350/ea

50mm CINCI VISTA	OEM	VT165-13	5.9 X 3.1	250/ea
35mm ENGEL	OEM	ES200/60	3.07X2.05	250/ea
50mm ENGEL	OEM		3.25X5.04	50/ea
2 ½" HPM	Chrome	300T 28oz	6" x 7"OD	250/ea
2 ½" HPM	OEM	300T 28oz	4" x 7" OD	150/ea Requires OEM Adapter
3 ¾" REED	Chrome	TG	8 ¾" OD	350/ea (bolt circle is 6 ¾" instead of 6 ½" per OEM print. Can be modified to fit or will fit TD Model)
32mm TOSHIBA	OEM	ISE 60-P	M60X4.0	150/ea
115m VAN DORN	Polish	Fits 165 oz		750/ea. 11.00" OD x 5.75" OAL

DOWNSIZE PACKAGES:

22mm CINCI	BRL/S/ST/EC	CLEARSTAR	37.625	500/PKG
		DRIVE ADAPTER/SPLIT RING		
28mm CINCI VISTA	220T DS	BARREL (666)	44.906	500/PKG
		CAP & DRIVE QUILL		
1 ½ HPM	BRL/S/ST/EC	DS TO 8 OZ	42.500	1000/PKG
2 HPM	BRL/S/ST/EC	300 TON DS TO 14 OZ.	54.625	1500/PKG
		(2 sets in stock)		

Feed Screws:

SIZE	MAKE	Mat'l	MODEL	OAL	PRICE
25mm	ARBURG	CPM 420V	320S-500-150/34.594"		1000/ea
30mm	ARBURG	USED 1.174	320C-500-250/38.438"		500/ea
30mm	ARBURG	COL/CHROME	270M-350-90/28.622"		1000/ea
35mm	ARBURG	USED 1.368	305-210-700/27.559		350/ea
25mm	BATTENFELD	CRU-WEAR	125	34.567"	750/ea
25mm	BATTENFELD	USED .977	500	41.141	250/ea
35mm	BATTENFELD	USED 1.370	315	47.000	500/ea
40mm	BATTENFELD	CRU-WEAR	315	46.772"	1250/ea
40mm	BATTENFELD	COL/CHROME	BA750/300	44.125	500/ea
45mm	BATTENFELD	CPM 420V	315	46.563"	1500/ea
45mm	BATTENFELD	USED 1.763	500	52.312"	750/ea.
32mm	BOY	OEM	15-S	25.813"	350/ea
18mm	CINCI VISTA	Nit 135M	Sentry	27.125"	500/ea
20mm	CINCI VISTA	OEM Used	OD: .784	23.375	250/ea
22mm	CINCI VISTA	CPM 9V	CLEARSTAR	37.625	750/ea
35mm	CINCI VISTA	COL/CHROME	VT220 DS	59.438"	500/ea
35mm	CINCI VISTA	COL/CHROME	VT220 DS	53.229"	500/ea
1.31	CINCINNATI	CPM 9-V	T 75-4	36.500"	1000/ea
1.62	CINCINNATI	COL/CHROME	150T-8	44.750"	350/ea
80mm	CINCI VISTA	COL/CHROME	VH440-54	81.250"	2500/ea
OD measures: 3.142/3.141 (OEM spec) Has Dual Wave barrier & mixer (sells new for over \$4500.00)					
80mm	CINCI VISTA	COL/CHROME	VH440-54	81.250"	1000/ea
OD measures: 3.141/3.135 Has mattox mixer & ball check					
2 ½	DAVIS STD	COL/CHROME	XA244310J	76.250"	750/ea
USED: 2.491 OD					
30mm	ENGEL	NEW OEM	Liq. Sil	20.563	150/ea
35mm	ENGEL	NEW CPM 9V	330 Inj	42.992"	1500/ea
40mm	ENGEL	USED: 1.763	D-2	40.563"	250/ea
45mm	ENGEL	D-2: 1.763	ES80/100	36.438"	500/ea
45mm	ENGEL	USED: 1.7618	SPLINE	50.420"	350/ea
45mm	ENGEL	USED: 1.764	CPM 9-V	50.420"	500/ea
STA threads loose					
60mm	ENGEL	USED: 2.349	DBG FLT	65.125"	350/ea

2"	HPM	New Cru-Wear	54.625"	1000/ea
2"	HPM	Used: 1.994 Dual-Wave	54.625"	750/ea
2"	HPM	Used: 1.987 CAM MIXER	54.625"	250/ea
2"	HPM	Used: 1.994 Dual-Wave	44.812"	750/ea
2 ½"	HPM	New Cru-Wear tool stl	66.625"	1750/ea
51mm	JSW	Used: 1.992 CPM 9V	47.375"	750/ea
58mm	JSW	Used: 2.275 OEM	54.527"	1500/ea
2"	JOMAR	Used: 1.994 Mixing	74.281"	500/ea
30mm	KAWAGUCHI	NEW, CPM 9-V	33.188"	1000/ea
36mm	KAWAGUCHI	CPM 9V, Fits K80-I	40.125"	1250/ea
42mm	KAWAGUCHI	Used, CPM 9-V	45.625"	500/ea
50mm	KAWAGUCHI	NEW, CPM 9-V	50.625"	1000/ea
		KS200B TR26 thd		
50mm	KAWAGUCHI	NEW, 4140/CHROME JEKS 180 Tr30 thd	44.250"	1000/ea
42mm	KLOCKNER	Used, 1.653" OD	45.938"	250/ea
2"	Reed TG	Used, .015" useable	48.500	150/ea
2 ½"	REED TD	NEW, STELLITE/CHROME	50.000"	1500/ea
2 ½"	REED TD	Used, Downsized Spcl	59.688	500/ea
20mm	ROBOSHOT	CPM 420V OD: .785/4	20.236"	350/ea
26mm	ROBOSHOT	USED 1.017 110I-48C	25.875	150/ea
32mm	ROBOSHOT	Carbide 165R-113	35.236"	750/ea
32mm	ROBOSHOT	Rebuilt 165R-113	35.236"	250/ea
44mm	ROBOSHOT	Used 1.706 250R-252	44.688	100/ea
1 ¼"	STOKES	USED: Chrome/Rebuilt	29 ¼"	150/ea
1 ¼"	STOKES	USED: CPM 420-V	29 ¼"	350/EA
1 ¼"	STOKES	USED: OEM	29 ¼"	150/EA
1.62	STOKES	USED: CPM 9-V Like New: 1.621" OD	36.750	500/ea
36mm	TOSHIBA	NEW: ISF 2B CPM 420V (OD: 1.412/1.411)	40.787	1250/ea
36mm	TOSHIBA	USED: ISF/G 5Y (OEM DBG OD: 1.410/1.409)	46.500	1000/ea

50mm TOSHIBA	REBUILT, ISG 10A, OEM	57.875"	1500/ea
55mm TOSHIBA	NEW: ISC/E 225 9B CPM 9-V Tool Steel	57.875"	1200/ea
60mm TOSHIBA	USED: worn 2.318" OD STA installed	67.205"	250/ea
70mm TOSHIBA	USED: 4140/Col/Chrome OEM DBG flight in very good condition Flights measure: 2.745/2.744	83.937"	1000/ea
70mm TOSHIBA	USED: EMERGENCY ONLY Flights: 2.690 in trans/Galling	74.625"	350/ea
105mm TOSHIBA	New, ISG 59B 4140, Colmanoy#56/Chrome Has Dual barrier Flighted section with PULSAR mixer	105.125"	2500/ea
36mm TOYO	USED: OEM Screw	37.323"	500/ea
1 3/4" TRUEBLOOD	NEW, Nitralloy, Nit.	33.875"	500/ea
25mm VAN DORN DEMAG	NEW, CRU-WEAR Tool Steel HT to 58/60 Rc	31.125"	750/ea
30mm VAN DORN	NEW, Nitralloy, Nit. 30/40 4R-330D	33.187"	350/ea
35mm VAN DORN DEMAG	NEW, CRU-WEAR Tool Steel HT to 58/60 Rc (Fits ET 80 & 50-200C Rotating Ram)	40.550"	1250/ea
40mm VAN DORN DEMAG	NEW, CRU-WEAR Tool Steel HT to 58/60 Rc (Fits ET 120 Rotating Ram)	45.032"	1500/ea
50mm VAN DORN	USED: OK 1.964" OD	49.625"	250/ea
75mm VAN DORN	USED: CORE FOR REBULD	72.500"	75/ea
80mm VAN DORN	USED LIKE-NEW FOR PVC OD measures to OEM spec.	75.767"	1000/ea

SCREW TIPS

45mm ARBURG	H-13	Type II	4.782"	300/ea
45mm ARBURG	4-Pc HA	TYPE II	4.824"	300/ea
1 1/4 AUTOJECTORS	H-13	+ 2 tips	4.060"	150/ea

18mm	BATTENFELD	OEM 3-pc	USED(.704)	2.77"	25/ea
25mm	BATTENFELD	OEM 3-pc	USED(.983)	3.288"	75/ea
"	BATTENFELD	D-2	Rings only	.978 OD	25/ea
30mm	BATTENFELD	D-2	MIM Design	1.174 OD	100/ea
"	BATTENFELD	D-2	Tips only	3.596"	25/ea
35mm	BATTENFELD	CPM 9V	3-PC FF	3.959"	398/ea
40mm	BATTENFELD	4-Pc HA	All	4.454"	350/ea
"	BATTENFELD	D-2	Tips only	"	25/ea
28mm	BOY	Screw Tip	30T2/50T2	2.820"	355/ea
18mm	CINCI VISTA	CPM 9V	Sentry	2.48"	150/ea
32mm	CINCI VISTA	4-PC HA	All	3.955"	250/ea
2 ½	CINCINNATI	2/H-13 OEM	120° NOSE	5.837"	200/ea
2"	EGAN	4-Pc HA	90° NOSE	3.917"	250/ea
2 ½	EGAN	4-Pc HA	90° NOSE	4.145"	300/ea
35mm	ENGEL	4-Pc HA	M16 thread	3.822"	250/ea
50mm	ENGEL	OEM USED	CR=1.968	4.221"	150/ea
70mm	ENGEL	4-Pc HA	M36x4.0	5.957"	400/ea
2"	HPM	3-Pc H-13	200 Ton	4.447"	150/ea
2"	HPM	4-Pc HA	200 Ton	4.500"	250/ea
2"	HPM	Smear Tip	200 Ton	6.125"	100/ea
2"	HPM	Smear Tip	200 Ton	5.625"	100/ea
2 ½"	HPM	4-Pc HA	300 Ton	4.750"	300/ea

2 ½ HPM	Smear Tip	300 Ton	7.187"	100/ea
51mm JSW	Screw Tip	Used OEM 1.974" OD	9.000"	150/ea
58mm JSW	Screw Tip	New 3-Pc	11.250"	500/ea
50mm KAWAGUCHI	Screw Tip	New 3-Pc Jeks 180	7.162" Tr24x3	200/ea
50mm KAWAGUCHI	Screw Tip	New 4-Pc K-180 I	6.596"	250/ea
63mm KAWAGUCHI	Check Ring	2.478"	1.653"	50/ea
45mm MEIKI	Screw Tip	New, 4-Pc	6.250"	250/ea
57mm MITSUBISHI SIZE MAKE	Screw Tip Mat'l	New, 4-Pc MODEL	10.625" OAL	350/ea.
120mm NATCO	BALL CHECK	USED	10.750"	350/ea
40mm NETSTAL	Screw Tip	New, 4-Pc	5.950"	300/ea
50mm NETSTAL	Screw Tip	New, 4-Pc	6.131"	350/ea
2" Reed TE	Screw Tip	New, 4-Pc	5.097"	100/ea
2 ½" Reed TD	Screw Tip	New, 4-Pc	7.893"	150/ea
1 ¼" NEWBURY	Screw Tip	New, 4-Pc	3.938"	250/ea
1 ¼" STOKES	Screw Tip	Used, 4-Pc	3.590"	100/ea
1 ¼" STOKES	Screw Tip	New, 4-Pc	3.590"	100/ea
1 ¼" STOKES	Screw Tip	New, BCK	3.469"	100/ea
1 3/8 STOKES	Screw Tip	New, 4-Pc	3.969"	150/ea
1 5/8 STOKES	Screw Tip	New, 4-Pc	4.661"	200/ea
36mm TOSHIBA	Screw Tip	Used, OEM	4.689"	250/ea

40mm TOSHIBA	Screw Tip	New, 4-Pc Retainer 4.180" OAL 5.860" OAL		75/ea
50mm TOSHIBA	Screw Tip	New, 4-Pc ISE	5.150"	300/ea
50mm TOSHIBA 100/ea	Screw Tip	Screw Tip New, 4-Pc Retainer 6.08" OAL		
60mm TOSHIBA	Screw Tip	New 4-Pc Rear Set: 2.118	5.939" ISE Model	450/ea
80mm TOSHIBA	Screw Tip	New, 3-Pc	10.750"	400/ea
90mm TOSHIBA SIZE MAKE	Screw Tip Mat'l	New, 3-Pc MODEL	11.370" OAL	985/ea PRICE
90mm TOSHIBA	Screw Tip	USED, 3-Pc Fits ISE (long nose)	16.000"	300/ea
120mm TOSHIBA	Screw Tip	New, 3-Pc	15.721"	1394/ea
68mm TOYO	Screw Tip	New 3-Pc	10.750"	350/ea
64mm TMC	Screw Tip	New, 3-Pc	10.750"	450/ea
25mm VAN DORN/ DEMAG	Screw Tip	New, 4-Pc	2.937"	250/ea
35mm VAN DORN/ DEMAG	Screw Tip	New, 4-Pc	3.473"	300/ea
40mm VAN DORN/ DEMAG	Screw Tip	New, 4-Pc	4.156"	350/ea

THERMOSET PACKAGES:

28mm CINCI ACT	NEW TS BARREL W/WATER JACKETS, SCREW, & DRIVE QUILL	35.250	800/PKG
----------------	--	--------	---------

2"	HPM/NEW BRITAIN	RELINED TS BARREL W/WATER JACKETS (36.750" OAL), REBUILT SCREW, & NEW END CAP	800/PKG
----	--------------------	---	---------

TIE BARS

4 ½"	HPM	4140/Chrome 300 Ton	89.625"	1500/ea	
4"	HPM	"	200 Ton	71.500"	1000/ea
65mm	BATTENFELD	"	315 Model	70.438"	500/ea